कोहलपुर नगरपालिका



नगर कार्यपालिकाको कार्यालय

Google Plus Code

6M2Q+5V7 Kohalpur

प.सं.:२०८१/०८२

च.नं.:

कोहलपुर, बाँके लुम्बिनी प्रदेश, नेपाल खरिद तथा जिन्सी उपशाखा

क्याटलग सपिङ बिधिबाट सवारी साधन खरिद गर्ने सम्बन्धी सूचना (प्रथम पटक सूचना प्रकासन मिति:२०८१।०६।२२)

प्रस्तुत सम्बन्धमा यस कोहलपुर नगरपालिकाको चालु आ.ब.०८१/०८२ को बार्षिक स्वीकृत कार्यक्रम वमोजिम राम मा.वि.का लागी १(एक) थान सवारी साधन (बस) खरिद गर्ने कार्यक्रम अनुसार सार्वजनिक खरिद ऐन २०६३को दफा ८ को उपदफा क (८) तथा सार्वजनिक खरिद नियमावली २०६४ को नियम ३१ (ख) बमोजीम उत्पादक कम्पनी वा सोको आधिकारीक विकेताहरु विच मात्र प्रतिस्पर्धा गराउने (क्याटलग सिपेड) विधिबाट खरिद गर्नु पर्ने भएको हुदाँ इच्छुक उत्पादक कम्पनी वा त्यसको अधिकृत/आधिकारीक विकेताले तपशिलका कागज पत्र सिहत सूचना प्रकाशित मितिले १५ औ दिनको कार्यालय समय भित्र सिलबन्दी गरि कार्यालयको खरिद शाखामा निवेदन/प्रस्तावना दररेट पेश गर्नहुन उत्पादक कम्पनी वा आधिकारिक विकेताहरूका लागि यो सूचना प्रकाशित गरिएको छ

मान बहादुर गिरी प्रमुख प्रशासकीय अधिकृत मान बहादुर गिरी प्रमुख प्रशासकीय अधिकृत

तपशिलः

9.आधिकारिक बिक्रेताले कम्पनी/फर्म दर्ताको प्रमाण पत्र प्रतिलिपी

२.उत्पादन अनुमती वा उत्पादकले आधिकारिक विकेता तोकेको पत्रको प्रतिलिपी

३.मुल्य अभिवृद्धी कर दर्ता प्रमाण प्रतिलिपी

४.आ.ब. ०७९/०८० को कर चुक्ता प्रमाण प्रतिलिपी

५.विकेताको स्पेशिफिकेसन,गुणस्तर,मुल्य र सुविधा सहितको विवरण(क्याटलग वा ब्रोसर)

वोधार्थः

श्री सूचना प्रविधि तथा तथ्याङ्क उप शाखा - वेवसाईटमा अपलोड गरिदिन हुन ।





Technical Specifications

Right Hand Drive 3×2 Seating Layout model Bus, suitable for driving in Nepal at an altitude up to 2500 meter and in ambient temperature - 5°C to 50°C. Gross Vehicle Weight: Not less than 7000 kg. Wheelbase: Min. 4100 mm Seating capacity: At least 40 Persons + Driver Anti-skid flooring, Schol Bus logo and stop sign, First Aid Kit, Fire Extinguisher, shelf and racks for proper bag keeping, guide rails and grab handles, windows with tubular metal grill, no	NI	Criteria	Required Specifications	Bidder's Offer
General Section Sect	N.	CIRCIA		
general Sc to SO'C. Gross Vehicle Weight: Not less than 7000 kg. Wheelbase: Min. 4100 mm Seating capacity: At least 40 Persons + Driver Anti-skid flooring, Schol Bus logo and stop sign. First Aid Kit, Fire Extinguisher, shelf and racks for proper bag keeping, guide rails and grah handles, windows with tubular metal grill, no objects or parts should be present in the bus that is pointy or sharp. This feature must be provided with bus but not limited to this. Ako, further requirements should meet the "School Bus Directory, 2074" Maximum rated power output not less than 95 HP at governed RPM with forque min. 285 NM at governed RPM, engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fuel filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse seasons Trees Standard Sizes, Min. 16 PR Standard Sizes, Min. 16 PR Steering Datal Circuit Pull Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventillation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook Chassis and frame 13 Essential accessories All metallic/FRP CAB, front wipers, glass windows on doors, through ventillation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook All metallic/FRP CAB, front wipers, glass windows on doors, through ventillation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook All metallic/FRP CAB, front wipers, glass windows on the ventile and the condition of the provided			Bus, suitable for driving in Nepal at an altitude	
Section 50°C. Section 50°C. Weight: Not less than 7000 kg. Wheelbase: Min. 4100 mm Seating capacity: At least 40 Persons + Driver			up to 2500 meter and in ambient temperature -	
Weight: Not less than 7000 kg. Wheelbase: Min. 4100 mm Scating capacity: At least 40 Persons + Driver Anti-skid flooring. Schol Bus logo and stop sign. First Aid Kit, Fire Extinguisher, shelf and racks for proper bag keeping, guide rails and grab handles, windows with tubular metal grill, no objects or parts should be present in the bus that is pointy or sharp. This feature must be provided with bus but not limited to this. Also, further requirements should meet the "School Bus Directory, 2074" Maximum rated power output not less than 95 HP at governed RPM with torque min. 285 NM at governed RPM, engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fuel filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse Transmission Manual shift at least 5 forward and 1 reverse Steering Power Netering Steering Datal Circuit Full Air S-Cam Brakes All metallic/RP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook of the provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.				
Wheelbase: Min. 4100 mm Seating capacity: At least 40 Persons + Driver Anti-skid filooring, Schol Bus logo and stop sign, First Aid Kit, Fire Extinguisher, shelf and racks for proper bag keeping, guide rails and grab handles, windows with tubular metal grill, no objects or parts should be present in the bus that is pointy or sharp. This feature must be provided with bus but not limited to this. Also, further requirements should meet the "School Bus Directory, 2074" Maximum rated power output not less than 95 HP at governed RPM, engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fuel filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Transmission Manual shift at least 5 forward and 1 reverse Tries Tres Power Steering Daia Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors Lead of the seath of	1	General	3 6 10 30 64	
Seating capacity: At least 40 Persons + Driver Anti-skid flooring, Schol Bus logo and stop sign, First Aid Kit, Fire Extinguisher, shelf and racks for proper bag keeping, guide rails and grab handles, windows with tubular metal grill, no objects or parts should be present in the bus that is pointy or sharp. This feature must be provided with bus but not limited to this. Also, further requirements should meet the "School Bus Directory, 2074" Maximum rated power output not less than 95 HP at governed RPM with forque min. 285 NM at governed RPM, engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fuel filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse Suspension Semi - elliptical Leaf Spring Steering Dual Circuit Pull Air S-Cam Brakes Tires Dual Circuit Pull Air S-Cam Brakes All metalliof/RP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-look a. Head light, tail and rear light, reversing light, turn signals. Speedometer/ odometer space wheel with tire and tube. a. Head light, tail and rear light, reversing light, turn signals. Speedometer/ odometer space wheel with tire and tube. a. Stata bell for driver These accessories should be provided along with school bus should be provided as well.			POCCOMPIGNICAL PROPERTY OF THE POCCOMPINE AND ADDRESS OF THE POCCO	
Anti-skid flooring, Schol Bus logo and stop sign, First Aid Kit, Fire Extinguisher, shelf and racks for proper bag keeping, guide rails and grab handles, windows with tubular metal grill, no objects or parts should be present in the bus that is pointy or sharp. This feature must be provided with bus but not limited to this. Also, further requirements should meet the "School Bus Directory, 2074" Maximum rated power output not less than 95 HP at governed RPM, engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fuel filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Transmission Manual shift at least 5 forward and 1 reverse Semi - elliptical Leaf Spring Standard Sizes, Min. 16 PR Suspension Standard Sizes, Min. 16 PR Power Steering Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. C. Speedometer/ odometer space wheel with tire and tube. g. Suitable lack & Handle f. Seat belt for driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. Instructions			Seating capacity: At least 40 Persons + Driver	
First Aid Kit, Fire Extinguisher, shelf and racks for proper bag keeping, guide rails and grab handles, windows with tubular metal grill, no objects or parts should be present in the bus that is pointy or sharp. This feature must be provided with bus but not limited to this. Also, further requirements should meet the "School Bus Directory, 2074" Maximum rated power output not less than 95 HP at governed RPM, engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fue filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Transmission Manual shift at least 5 forward and 1 reverse Semi - elliptical Leaf Spring Standard Sizes, Min. 16 PR Power Steering Dual Circuit Full Air S-Cam Brakes All metallic/RPP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. lights. Speedometer/ odometer spare wheel with ire and tube. Lack & Handle f. Seat belt for driver These accessories should be provided along with school bus should be provided as well. Instructions Hat lington in the vehicle shall be in English or Nepali.	110			
for proper bag keeping, guide rails and grab handles, windows with tubular metal grill, no objects or parts should be present in the bus that is pointy or sharp. This feature must be provided with bus but not limited to this. Also, further requirements should meet the "School Bus Directory, 2074" Maximum rated power output not less than 95 HP at governed RPM with torque min. 285 NM at governed RPM engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fuel filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Transmission			Anti-skid Hooring, Schol Bus logo and stop so	
bandles, windows with tubular metal grill, no objects or parts should be present in the bus that is pointy or sharp. This feature must be provided with bus but not limited to this. Also, further requirements should meet the "School Bus Directory, 2074" Maximum rated power output not less than 95 HP at governed RPM with torque min. 285 NM at governed RPM, engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fuel filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse Manual shift at least 5 forward and 1 reverse Semi - elliptical Leaf Spring Suspension Semi - griph lair S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirrors. Cab Chassis and frame Chassis and frame Lessential accessories Essential accessories All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. c. Speedometer/ odometer d. One spare wheel with tire and tube. g. Suitable f. Seat belt for driver These accessories should be provided as well. Instructions It lastructions in the vehicle shall be in English or Nepali.			first Aid Kit, Fire Extinguisher, saids and grab	
School Bus Features objects or parts should be present in the bus that is pointy or sharp. This feature must be provided with bus but not limited to this. Also, further requirements should meet the "School Bus Directory, 2074" Maximum rated power output not less than 95 HP at governed RPM with torque min. 285 NM at governed RPM, engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fuel filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Transmission Manual shift at least 5 forward and 1 reverse Semi - elliptical Leaf Spring Standard Sizes, Min. 16 PR Steering Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. c. Speedometer/ odometer spare wheel with tire and tube. speed with tire and tube. speedometer/ odometer spare wheel with tire and tube. speedometer		School Bus Features	handles windows with tubular metal grill, no	
is pointy or sharp. This feature must be provided with bus but not limited to this. Also, further requirements should meet the "School Bus Directory, 2074" Maximum rated power output not less than 95 HP at governed RPM, engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fuel filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse suspension Standard Sizes, Min. 16 PR Suspension Standard Sizes, Min. 16 PR Dower Steering Dual Circuit Pull Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. lights. C. Speedometer/ odometer spare wheel with tire and tube. e. Suitable Jack & Handle These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.			objects or parts should be present in the bus that	
with bus but not limited to this. Also, further requirements should meet the "School Bus Directory, 2074" Maximum rated power output not less than 95 HP at governed RPM with torque min. 285 NM at governed RPM engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fuel filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc., as necessary for efficient operation and maintenance, etc. Transmission Manual shift at least 5 forward and 1 reverse Suspension Semi - elliptical Leaf Spring Standard Sizes, Min. 16 PR Power Steering Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. c. Speedometer/ odometer spare wheel with tire and tube. Speedometer/ odometer should be provided as well. Instructions It lastructions in the vehicle shall be in English or Nepali.	2		is pointy or sharp. This feature must be provided	
Maximum rated power output not less than 95			with bus but not limited to this. Also, further	
Maximum rated power output not less than 95			requirements should meet the "School Bus	
HP at governed RPM, enjoine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fuel filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Transmission Manual shift at least 5 forward and 1 reverse Suspension Semi - elliptical Leaf Spring Steering Power Steering Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. C. Speedometer/ odometer donditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. c. Speedometer/ odometer driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.		The state of the s		
HP at governed RPM, enjoine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fuel filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Transmission Manual shift at least 5 forward and 1 reverse Suspension Semi - elliptical Leaf Spring Steering Power Steering Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. C. Speedometer/ odometer donditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. c. Speedometer/ odometer driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.				
Standard To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse Suspension Standard Sizes, Min. 16 PR Steering Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Cab Chassis and frame Steed, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. lights. c. Speedometer/ odometer d. One spare wheel with tire and tube. e. Suitable Jack & Handle f. Seat belt for driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepall;			HP at governed RPM with torque min. 285	
with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fuel filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse Suspension Semi - elliptical Leaf Spring Tires Standard Sizes, Min. 16 PR Power Steering Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. lights. Speedometer/ odometer spare wheel with tire and tube. Speedometer/ odometer these accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.			NM at governed RPM, engine fully equipped	
f the vehicle at operating conditions, cold starting device, heavy duty fuel filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse Suspension Semi - elliptical Leaf Spring Standard Sizes, Min. 16 PR Steering Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. lights. Speedometer/ odometer d. One spare wheel with tire and tube. Jack & Handle first are revised by the sea accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as weel. All signs and instructions in the vehicle shall be in English or Nepali.	3	Engine	with accessories for efficient full load operation	
The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse Suspension Semi - elliptical Leaf Spring Standard Sizes, Min. 16 PR Power Steering Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. c. Speedometer/ odometer spare wheel with tire and tube. Jack & Handle f. Seat belt for driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as weel. All signs and instructions in the vehicle shall be in English or Nepali.			of the vehicle at operating conditions, cold	
as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse Suspension Semi - elliptical Leaf Spring Standard Sizes, Min. 16 PR Power Steering Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. [ights. C. Speedometer/ odometer spare wheel with tire and tube. e. Suitable Jack & Handle f. Seat belt for driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.			starting device, heavy duty fuel filter.	
as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse Suspension Semi - elliptical Leaf Spring Standard Sizes, Min. 16 PR Power Steering Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. [ights. C. Speedometer/ odometer spare wheel with tire and tube. e. Suitable Jack & Handle f. Seat belt for driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.		Standard	The Emission Standard of the vehicle should be	
Standard Is to be certified by Department of Fransport Management, Nepal			as per "Vehicle Mass Emission Standard", which	
To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse Suspension Semi - elliptical Leaf Spring Standard Sizes, Min. 16 PR Power Steering Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Cab Chassis and frame Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. Lights. C. Speedometer/ odometer spare wheel with tire and tube. Jack & Handle driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.	4		is to be certified by Department of Transport	
transmission gauge etc. as necessary for efficient operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse Semi - elliptical Leaf Spring Standard Sizes, Min. 16 PR Steering Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. i. C. Speedometer/ odometer d. One spare wheel with tire and tube. Speedometer/ odometer frame e. Suitable Jack & Handle f. Seat belt for driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.			Management, Nepal	
transmission gauge etc. as necessary for efficient operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse Semi - elliptical Leaf Spring Standard Sizes, Min. 16 PR Steering Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. i. C. Speedometer/ odometer d. One spare wheel with tire and tube. Speedometer/ odometer frame e. Suitable Jack & Handle f. Seat belt for driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.		Gauges	To include water temperature, fuel, oil pressure,	
operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse Suspension Semi - elliptical Leaf Spring Standard Sizes, Min. 16 PR Steering Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. ights. c. Speedometer/ odometer spare wheel with tire and tube. Jack & Handle driver These accessories should be provided whereas it not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.			transmission gauge etc. as necessary for efficient	
Suspension Semi - elliptical Leaf Spring	5		operation and maintenance, etc.	
Suspension Semi - elliptical Leaf Spring	,	Transmission	Manual shift at least 5 forward and 1 reverse	
9 Steering 10 Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. c. Speedometer/ odometer d. One spare wheel with tire and tube. All signs and instructions in the vehicle shall be in English or Nepali. All signs and instructions in the vehicle shall be in English or Nepali.		The state of the s	Semi - elliptical Leaf Spring	
9 Steering 10 Brakes Dual Circuit Full Air S-Cam Brakes All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. c. Speedometer/odometer spare wheel with tire and tube. Jack & Handle driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.			Standard Sizes, Min. 16 PR	
All metallic/FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. lights. c. Speedometer/ odometer d. One spare wheel with tire and tube. Jack & Handle f. Seat belt for driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.	-		Power Steering	
windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. lights. Speedometer/ odometer spare wheel with tire and tube. Jack & Handle driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.			Dual Circuit Full Air S-Cam Brakes	
Cab comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. c. Speedometer/ odometer d. One spare wheel with tire and tube. e. Suitable pack & Handle f. Seat belt for driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.	10	Dianes	I theoreth Confilation	
Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. c. Speedometer/ odometer d. One spare wheel with tire and tube. Jack & Handle f. Seat belt for driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.		Cab	windows on doors, unough ventuation,	
Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. c. Speedometer/ odometer d. One spare wheel with tire and tube. Jack & Handle f. Seat belt for driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.	handles, windows with tubular metal grill, no objects or parts should be present in the bus that is pointy or sharp. This feature must be provided with bus but not limited to this. Also, further requirements should meet the "School Bus Directory, 2074" Maximum rated power output not less than 95 HP at governed RPM with torque min. 285 NM at governed RPM, engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fuel filter. The Emission Standard of the vehicle should be as per "Vehicle Mass Emission Standard", which is to be certified by Department of Transport Management, Nepal To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc. Manual shift at least 5 forward and 1 reverse Manual shift at least 5 forward and 1 reverse Standard Sizes, Min, 16 PR Power Steering Dual Circuit Full Air S-Cam Brakes All metallici-FRP CAB, front wipers, glass windows on doors, through ventilation, comfortable seats, rear view mirror and two side view mirrors. Steel, heavy duty suitable for rough road conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. Least and frame The Easential accessories wheel with tire and tube. c. Speedometer/ odometer spare wheel with tire and tube. c. Suitable Jack & Handle driver These accessories should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.			
2 Chassis and frame conditions with toe-hook a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. c. Speedometer/ odometer d. One spare wheel with tire and tube. e. Suitable Jack & Handle f. Seat belt for driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.				
a. Head light, tail and rear light, reversing light, turn signals. lights. c. Speedometer/ odometer spare wheel with tire and tube. Jack & Handle driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.	12	Chassis and frame	conditions with toe-hook	
turn signals. lights. Speedometer/ odometer spare wheel with tire and tube. Jack & Handle driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.				
Iights. Speedometer/ odometer Speedometer/ odometer/ odo		Essential accessories	In Flattain I	
Speedometer/ odometer d. One spare wheel with tire and tube. e. Suitable Jack & Handle f. Seat belt for driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.				
spare wheel with tire and tube. Jack & Handle driver These accessories should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.			Speedometer/ odometer d. One	
These accessories driver should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.			spare wheel with tire and tube. e, Suitable	
driver should be provided whereas it is not limited to this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.	12		Jack & Handle f. Seat belt for	
this list. All the accessories that are provided along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.	13		THE TAXABLE PROPERTY OF THE PR	
along with school bus should be provided as well. All signs and instructions in the vehicle shall be in English or Nepali.				
All signs and instructions in the vehicle shall be in English or Nepali.				
All signs and instructions in the vehicle shall be in English or Nepali.				
14 Instructions in English or Nepali.				
One Copy of the Operator's and Owner's instructions and maintenance manual in English shall be supplied with the vehicle.	14	Instructions	in English or Nepali.	MAN
shall be supplied with the vehicle.			One Copy of the Operator's and Owner's	The Bush
shan be supplied with the vehicle.	15	Manuals	shall be supplied with the calcist	Total delaid
			shan be supplied with the vehicle.	वाने वट क्षेत्र आप

16	Tools	A set of tools as required for general maintenance shall be supplied.	
17	Colour	Golden Yellow	_
18	Proven Performance	The vehicle offered shall be under standard production by the manufacturer for at least one year.	
19	Warranty	Manufacturer shall provide a minimum of One- year warranty after acceptance.	1147
20	Delivery	A School Bus, shall be delivered to the yard of Kohalpur Municipality Office, Kohalpur, Banke.	

Note: The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specification. Bidders must fill in the data in the Bidder's Offer column or provide the catalogue/brochure of appropriated technical data for proper evaluation. Non-compliance of these major items will result in non-responsiveness of the bid offered.

Bidder's Signature:

Date:

Approved By: