
कोहलपुर नगरपालिका



नगर कार्यपालिकाको कार्यालय

Google Plus Code



प.सं.: २०७९/०८०

च.नं.: ३५१२

कोहलपुर, बाँके लुम्बिनी प्रदेश, नेपाल सूचना प्रविधि तथा तथ्यांक उपशास्त्रा

मिति: २०८०/०२/२५


श्री नगरपालिकामा सूचीदर्ता भएका सबै फर्महरू।

विषय: दरभाउ पत्र पेश गर्ने सम्बन्धमा।

प्रस्तुत विषयमा यस कोहलपुर नगरपालिका नगर कार्यपालिकाको कार्यालयमा कल सेन्टर तथा समन्वय केन्द्र स्थापना गर्नका लागी संलग्न दरभाउ पत्रमा तपाइको कबोल दररेट भरी तपिसल बमोजिमको कागजात सिहत आजको मिति देखि ७ (सात) दिने भित्र यस कार्यालयमा सिलबन्दी दरभाउ पेश गर्नु हुन अनुरोध गरिन्छ । दर्ता भएका सिलबन्दी प्रस्तावहरू २०८०/०२/३१ गते दिनको २:०० बजे खोलिने छ। प्रस्तावदाता वा निजको प्रतिनिधि उपस्थित नभए पनि प्रस्ताव खोल्न बाधा पर्नेछैन । प्रस्ताव दाखिला गर्ने अन्तिम दिन विदा पर्न गएमा सोको भोलिपल्ट कार्यालय खुलेको दिनलाई अन्तिम दिन मानिनेछ।

तपसिल:

- १. आ.व.व २०७९/०८० को लागि फर्म नवीकरण भएको प्रमाण पत्रको प्रतिलिपी।
- २. मु.अ. करमा दर्ता भएको प्रमाणपत्रको प्रतिलिपि।
- ३. आ.व. २०७९/०८० को कर चुक्ता प्रमाणपत्रको प्रतिलिपि।
- ४. Ip phone सम्बन्धी कार्य अनुभव प्रमाण पत्र ।









Kohalpur Municipality

Office of the Municipal Executive

Kohalpur, Banko Lumbini Province, Nepal दिकाराम दुकाल

Bill Of Quantities

Project Name: कल सेन्टर र समन्वय केन्द्र स्थापना

Location: Kohalpur Mun. office, Branch offices, 15 ward office, 15 health service center

FY: 2079/080

S.N.	Product	Descritpion	Unit	Qty	Rate in Figure	Rate in Words	Total Amount with VAT	Model no./Remarks
1	Unified Communication Server (UCS)	Compatible Server Software: SARVAM UCS SME VOIP (SIP) Trunks: 99 GSM/3G Trunks: Up to 40 CO Ports: Up to 64 VOIP (VOCODER) Channels: Up to 128 ISDN/T1/E1/PRI Channels: Up to 240 Characters (8 ports) ISDN BRI Channels: Up to 64 Characters (32 ports) IP Subscribers: Up to 999 Digital Subscribers: Up to 96 Analog Subscribers: Up to 96 Analog Subscribers: Up to 64 Power Supply: 100-240 V AC, 47-60Hz, 48V DC, +20%-15% Redundancy: No Hot-Swap: No Installation: 19" Rack Mount with 4U Enclosure Wall Mount / Table Top	pcs	1				
2	Vocoder Daughter Board Module	VOCODER Daughter-board Module for ETERNITY GENX CPU Cards • Support Maximum 64 Simultaneous VOCODING Channels • UCS and UMG Server Licenses are Supplied with 4 Built-in VOCODER Channels • Additional VOCODER Channel License is Required to Activate Desired Number of Channels • Max. Number of Modules on CPU Card: • ETERNITY GENX: 2 (128 Channels)	pcs	1				

						<u> </u>
3	VOICEMAIL Daughter-board Module	VOICEMAIL Daughter-board Module for ETERNITY GENX CPU Cards • To Support Maximum 64 Simultaneous Voicemail Sessions • UCS Server License is Supplied With 4 Built-in VMS CHANNELS • Additional VMS Channel License is Required to Activate Desired Number Of Channels • Max. 1 Module on CPU Card with Up To 64 Voicemail Channels	pcs	1		प्रमुख प्रशासकीय अधिकृत
4	License for VOCODER Channels	License for VOCODER Channels • For SARVAM UCS and SARVAM UMG • To Support 16 Simultaneous Calls with Transcoding • Common for all Types of SMB, SME and ENT UCS Servers	pcs	1		
5	VMS CHNL16	License for VOICEMAIL Channels No. of Users: 50 License Required for Registering IP User Terminals Common for all Types of SMB, SME and ENT UCS Servers	pcs	1		
6	Software Liscense for 50 User Ip	License for IP Subscribers for UCS No. of Users: 50 License Required for Registering IP User Terminals Common for all Types of SMB, SME and ENT UCS Servers	pcs	1		
7	Expansion Card for CO, DKP and SLT	Expansion Card for CO, DKP and SLT • CO Ports: 2 • DKP Ports: 2 • SLT Ports: 16 • Compatible PBX: ETERNITY GENX and GE Series	pcs	1		
8	Expansion Card for CO and SLT	Expansion Card for CO and SLT CO Ports: 4 SLT Ports: 16 Compatible PBX: ETERNITY GENX and GE Series	pcs	1		
9	Primary Protection Module for CO Lines Protection Interface	Primary Protection Module for CO Lines Protection Interface • No. of Ports: 4	pcs	2	2	



						Estrib/2	2	
10	Premium Digital Key Phone (Operator)	Proprietary IP Phone with PoE • Phone Features: Mute, Call Hold, Speed Dial; Hotline, Redial, Call Back, Auto Answer, Call Forward, Call Waiting, Call Transfer, Conference Directory, Paging • VoIP Protocol: Proprietary • Ethernet Ports: 2 (PC and LAN) • Display: 240 x 64 Pixels Graphical LCD with Backlit • Color: Black • Programmable Keys: 4 Context Sensitive Keys, 16 DSS Keys • 3.5mm Headset Interface • Power Supply: PoE	set	1		प्रमुख प्रशासकीय	काल अधिकृत	
11	SIP Phone	Extended SIP Phone with PoE • VoIP Protocol: SIP (1 SIP Account) • Ethernet Ports: 2 (Gigabit ports - PC and LAN) • Display: 128 x 64 Pixels Graphical LCD (3.1 Inch) • Color: Black • Functional Keys: 3 Feature Keys, 4 Context Sensitive Keys, 2 Line Keys, Volume Control Keys • Power Supply: PoE and 5V 0.6A (Adaptor Based)	set	40				
12	IP/DSS Console for IP/Digital Phones	IP/DSS Console for IP/Digital Phones • No. of Keys: 32 • Color: Black • Compatible Phone: VP510E and EON510 • Compatible PBX: All Variants of SARVAM & ETERNITY Series • Max. 4 Consoles per Phone	pcs	1				
13	9U Rack	9U RACK Cool rolled steel Thickness: Vertical rail:1.5mm Else in 1.2mm Front Door: Tempered smoky-gray glass with thickness of 5mm. Removable Front Door and side panel. Dimension (Width x Depth x Height): 600 X 450 X 501 Load Capacity: 40 Kg Color: Black Mounting: Fixed Wall-Mount Material: Cold Rolled Steel; Powder Coated	₽ pcs	. 1				
14	PDU	 Specification: 250AC, 10A, 2500W. Dimension: 1U. Output: 6way. Features: suitable for international standard. Performance: meet CCEE certificate. 	pc	s	ı			

टिकाराम ढकाल

15	50 Pair Krone Box	50 Pair Telephone krone Box	pcs	1		प्रमुख प्रश्रासकीय अधि	कृत	
16	Cat 6 Cable (1 Box)	Category 6 Ethernet Cable	Вох	1				
17	Accessories	RJ-45, RJ-11, Wire Clip, Screw, Patch Cord etc.	Lot	1				
18	Installation	Cabling, mounting, configuration, testing etc. (in head office, 8 branch office, 15 ward office, 15 health service center)	Lot	1				
H.		Telecom and public ip charges	(tres)					
19		For Toll Free Service Single Unique ASF Number (Can handle 10 simultaneous call by single AFS number)	Annually	1				
20	Internet New Connection with public IP including vat (1 year)		Annually	1				
		Total cost with VAT Rs.						
	Name of Firm:							
	Address:							
	Firm Stamp:							
Name of the representative:								
	Signature:							
	Date:							