कोहलपुर नगरपालिका

ग्रह्मकार्यपालिकाको कार्यालय

Google Plus Code

6M2Q+5V7 Kohalpur

प.सं.:२०८१/०८२

च.नं.:

कोहलपुर, बाँके लुम्बिनी प्रदेश, नेपाल ^{बाह} खरिद तथा जिन्सी उपशाखा

मिति:-२०८२/०१/१२

विषय:- सिलबन्दी दररेट पेश गर्ने सम्बन्धमा।

श्री यस नगरपालिकामा सूचीकृत भएका/नभएका सप्लायर्स सबै।

उपरोक्त सम्बन्धमा यस कोहलपुर नगरपालिका नगर कार्यपालिकाको कार्यालय अन्तर्गत महिला तथा वालवालिका शाखाको आ.व.०८०/०८९ अन्तर्गत वार्षिक नीति, वजेट तथा कार्यक्रममा अपांग व्यक्तिहरूका लागि व्हिलचेयर सामाग्री खरिदका लागि यस कार्यालयबाट मिति २०८२/०१/०३ गते प्रकाशित ७ (सात) दिने सूचना वमोजिम प्राप्त भएका प्रस्तावहरु सारभूत रुपमा प्रभावग्राही नभएको देखिएको हुदौ पुनः दोस्रो पटकका लागि यो सुचना प्रकाशन गरिएको छ ।

अतः यो सूचना प्रकाशन भएको मितिले ५ (पाँच) दिनभित्र संलग्न Specification वमोजिमको सामाग्रीको दररेट जिन्सी शाखामा पेश गर्नहुन सम्बन्धित सबैको जानकारीका लागि यो सुचना प्रकाशन गरिएको छ ।

तपशिल:-

१.प्रस्तावना/दररेट पेश निवेदन

२.भ्याट/प्यान दर्ता प्रमाण प्रतिलिपी

३.व्यवसाय दर्ता तथा नवीकरण भएको प्रतिलिपी

४.आ.व.८०/०८१ को कर चुक्ता प्रमाणपत्रको प्रतिलिपी

मान वहादुरे गिरी प्रमुख प्रशासकीय अ

वोघार्थः-

श्री सुचना प्रविधि तथा तथ्याङ्क उपशाखा- वेवसाईटमा अपलोड गरिदिनुहुन ।







Technical Specification of Battery operated Three Wheel E-Tricycle

Brand			
Model	Lithium E-Tricycle		
Battery	33Ah, 12v, LI-ON		
Motor	350w,36v,BLDC HUB		
	Motor		
Charger	DC36V, 3A, Input 220V AC		
Charging Time	4 hrs		
Max Speed	25km/hr		
Range	40 km		
Permission Load	>80 Kg		
Total Weight	60 Kgs		
Controller	350w, 36/48V, 20 Amp		

Feathers

- 1. Eco Friendly
- 2. Battery Operated (AI System)
- 3. Lithium Battery Pack
- 4. Battery Management system
- 5. Water Proof Intelligent
- 6. Controller with Regeneration Braking
- 7. 3 Speed Modes Operation








Technical Specification of Motivational Standard Wheel Chair

CLASP Product Number	WM4X-01S	WM4X-01M	WM4X-01L	WM4X-01XL		
Seat Width	14.2" (36 cm)	15.7" (40 cm)	17.3" (44 cm)	18.9" (48 cm)		
Seat Depth	14.2" (36 cm), 15.7" (40 cm)					
Back Height	The backrest can be set in two height positions: high and low. The high back is 3.9" (10 cm) higher than the low.					
Back Angle	The shape of the backrest can be altered by adjusting the tension of the backrest straps.					
Footrest Height	The footrest height can be adjusted to different heights.					
Rear Wheel Dimensions	$26" \times 1.4"$ diameter (66 cm x 4 cm) with 40-spoke aluminum rims and pneumatic, medium tread with extra thick inner tubes					
Rear Wheel Axle Adjustability	Two sealed bearings and 0.47" (1.2 cm) high tensile axles, interchangeable with WM3 (apart from axle)					
Caster Dimensions	6" x 2" diameter					
Overall Width Open	29.9" (76 cm)					
Overall Width Closed	15.7" (39.9 cm)					
overall Length	37.8" (96 cm)					
roduct Weight	47 lb (21.3 kg)					
leight Capacity	250 lb (113 kg)					
ackaging	One unit per carton					
ackage Size	26" x 26" x 17" (66 cm x 66 cm x 43 cm)					
ackage Weight	57 lb (26 kg)		The second secon	लुम्बिनी प्रदेश		















S.No	Particulars	Qty (Nos)	Rate		
1	Electric Tri cycle (E.V with Charger Set same as specification)	1.(one)			
2	Motivational Wheel Chair (with Folding type same as specification)	1. (one)			
3	Standard/Active Wheel Chair (same as specification)	1. (one)			
	Total Vat Amount				
	Total Amount wih Vat				

